

NOTES

INCLUDING ASSOCIATED DRAWINGS

NOTES

All waste water from sinks and wash hand basins shall pass through a gulley trap
Pipe connections to Water Closets shall be 100mm
Pipe connections to wash hand Basins shall be 50mm PVC
Pipe connections to showers and bath tub shall be 50mm PVC
Pipe connections to urinal shall be 50mm PVC
All soil pipes are to be of Cast Iron or Unplasticised PVC
Sinks and wash hand basins shall have chromium plated 'P" Traps with 76mm water seals
All vent pipes shall terminate above roof level with copper or galvanised bird cage cover

- ø100PVC. SOIL PIPE
- ø100PVC VENT PIPE

DESCRIPTION		
DATE	INITIAL	APPROVED BY

TABO.TECH
ELECTRICAL AND MECHANICAL CONSULTING ENGINEERS
TAFARA BUILDING, SUITE C5
60 G. SILUNDIKA/FIFTH STREET
HARARE
TELEPHONE : 793995
TEL/FAX : 793996
CELL : 011 705 960
091 369 662
Email : tabo-tech@comone.co.zw

MINISTRY

©COPYRIGHT TABO-TECH
THIS DRAWING IS A PROPERTY OF TABO-TECH AND SHALL NOT BE COPIED, TRACED, PHOTOGRAPHED OR REPRODUCED IN ANY MANNER WHATSOEVER WITHOUT PRIOR WRITTEN PERMISSION OF TABO-TECH CONSULTING ENGINEERS.

ARCHITECT:- MANYARA DESIGN ARCHITECTS

CLIENT:- ZIMBABWE REVENUE AUTHORITY

PROJECT:-
ZIMRA CORPERATE HEAD OFFICE

DRAWING DESCRIPTION:-
SECOND FLOOR
SOIL AND WASTE LAYOUT

SCALE	1:100	DATE	OCT 2020
DESIGNED	R.B	DATE	OCT 2020
DRAWN	RH	DATE	OCT 2020
CHECKED	R.B	DATE	OCT 2020
APPROVED	R.B	DATE	OCT 2020
PROJECT & DRAWING No.	72/M/102		
REVISION			