

## NOTES

- All waste water from sinks and wash hand basins shall pass through a gully trap
  - Pipe connections to Water Closets shall be 100mm
  - Pipe connections to wash hand Basins shall be 50mm PVC
  - Pipe connections to showers and bath tub shall be 50mm PVC
  - Pipe connections to urinal shall be 50mm PVC
  - All soil pipes are to be of Cast Iron or Unplasticised PVC
  - Sinks and wash hand basins shall have chromium plated 'P' Traps with 76mm water seals
  - All vent pipes shall terminate above roof level with copper or galvanised bird cage cover
- Ø100PVC. SOIL PIPE  
● Ø100PVC VENT PIPE

## NOTES


INCLUDING ASSOCIATED DRAWINGS

DESCRIPTION

DATE

INITIAL

APPROVED BY



ELECTRICAL AND MECHANICAL  
CONSULTING ENGINEERS

TAFARA BUILDING, SUITE C5  
80 G. SILUNDIKAFIFTH STREET  
HARARE  
TELEPHONE : 793995  
TELEFAX : 793996  
CELL : 011 705 360  
091 369 662  
Email : tabo-tech@comnet.co.zw

MINISTRY

©COPYRIGHT TABO-TECH

THIS DRAWING IS A PROPERTY OF TABO-TECH AND  
SHALL NOT BE COPIED, TRACED, PHOTOGRAPHED OR  
REPRODUCED IN ANY MANNER WHATSOEVER WITHOUT PRIOR  
WRITTEN PERMISSION OF TABO-TECH CONSULTING ENGINEERS.

ARCHITECT:- MANYARA DESIGN ARCHITECTS

CLIENT:- ZIMBABWE REVENUE AUTHORITY

PROJECT:-  
ZIMRA CORPORATE HEAD OFFICE

DRAWING DESCRIPTION:-  
FIRST FLOOR  
SOIL AND WASTE LAYOUT

SCALE	1:100	DATE	NOV. 2019
DESIGNED	R.B	DATE	NOV. 2019
DRAWN	R.H	DATE	NOV. 2019
CHECKED	R.B	DATE	NOV. 2019
APPROVED	R.B	DATE	NOV. 2019

PROJECT & DRAWING No.

72/M/101

REVISION